



TC1021

V1.0 |

1288 9
4849 14-17

“ ”

@ 2024-2025



UART On CAN

CAN CAN 500
CAN 100 CAN
CAN
CAN_H CAN_L

UART On CAN

-
-
-
- ...

1.		4
1.1		4
1.2		4
2.TC1021		5
2.1		5
2.2		5
2.3		6
2.4		6



TC1021 UART On CAN “ CAN


CAN



- ✓ UART
- ✓ CAN CAN
- ✓ CAN



B				⊥	0	∅
USB		--	5	--		V
USB	mv"	--	0.13	0		μ




✓ TC1021





➤ DB9 Male

DB9		
	PIN2	CAN_L
	PIN3	GND
	PIN5	Shield
	PIN7	CAN_H


TC1021
UART on CAN

- CAN
- Link

PIN 2: CAN_L
PIN 3: GND
PIN 5: Shield
PIN 7: CAN_H

CAN	CAN
LINK	

LINK	
CAN	CAN
CAN	CAN





TSMaster

Vector Kvaser PEAK IXXAT,

* N



●

- 1.
- 2. CAN
- 3. CAN CAN_H CAN_L


●

- 1. CAN
- 2.

TC1021

“ 3.1 ”

TC1021



O

TC1021



6

o

ö þP

334
2011

J

..

>

mal.com

QQA

2



解决方案

1、标定等核心功能，
售后全流程

EMB标定测试设备，结合市面主流设备

仿真、测试及诊断
涵盖了汽车整车及零部件研发、测试、生产、维修

汽车 四门两盖 试验解决方案

电机性能 / 耐久试验解决方案

愿景

国际组织
ASAM,CiA

解决一切工程问题！

难题！