



TOSUN-TC1013HV

tosunai.com



CAN FD USB

TC1013HV	CAN FD * 2

1288 9
4849 14-17

CAN (FD)

ECU

[] μs

[	]	USB	Windows/Linux
---	---	-----	---------------

[] CAN DC4500V

[] CAN 120

[] DBC A2L TSMaster

[	]	BLF	UDS	CCP/XCP	Flash Bootloader
---	---	-----	-----	---------	------------------

$$[\quad]$$



..... 2

..... 3


..... 3

1.



	113*98*38 mm
	162.5 g
	ƒŮÀ ØŮÀ

≡ ≠



≡ ≠	C ≠	SO 11898-2
	CAN CA D	ISO 11898-1
≡ ≠	°5 s f	
≡ ≠	Д	
CAN D	25 Kbps 8 Mbps	
CAN D	64	


6b

		--	120	--	Ω
		50	--	--	k Ω
		4500	--	--	VDC

EMC

ESD	IEC 61000-4-2		8	kV
			15	kV
EFT	IEC 61000-4-4		2	kV

mm



1-1




1.3.

CAN



1-2

CAN FD



1-3

CAN FD


1.4. LED

CAN FD 1 ~ 2	CAN FD 1 ~ 2

CAN FD		CAN FD
		CAN FD

1.5.

5
Windows Linux
USB USB2.0




2-2

3. →

CAN

CAN



2-3

CAN


4. →



2.2.


2.2.1. CAN

TC1013HV



2-4 CAN

TC1013HV			
	API	CAN	120
		60	



2-5 CAN


2.3.

2.3.1. CAN

TSMaster CAN/CAN FD
CAN/CAN FD

1. → → → CAN/CAN FD

CAN/CAN FD






2-6 CAN

2. → → → CAN/CAN FD

$$\mathbb{H} \rightarrow$$




2-9 C



2-10 C

2. C → → C C

TOSUN



2-13 C CAN




3.1.

Windows

TSMaster


TSMaster

2.



3-3 TSMaster


3.



3-4 TSMaster




4.



3-7 TSMaster

7.







		/	/
		USB	USB /
		+5V DC	
		-40 ~ +40	
		10% ~ 99999999%	

--	--	--	--

		/	/



三星智能的移植软件(SM-10)及配套

價值了。六十年代初反右即有所及。因為「上」

二、教育 / 信息女王解决万条

「FCT/EOL测试设备/线控底盘测试解决方案

“左”“右”“前”“后”“上”“下”“内”“外”“左”“右”“前”“后”“上”“下”“内”“外”

